

Suggested Literature Module 4

- Bry A, Wigert H. Psychosocial support for parents of extremely preterm infants in neonatal intensive care: a qualitative interview study. BMC Psychol. 2019 Nov 29;7(1):76.
[doi: 10.1186/s40359-019-0354-4](https://doi.org/10.1186/s40359-019-0354-4)
- Coulter A, Oldham J. Person-centred care: what is it and how do we get there? Future Hosp J. 2016 Jun;3(2):114-116. doi: 10.7861/futurehosp.3-2-114.
[doi: 10.7861/futurehosp.3-2-114](https://doi.org/10.7861/futurehosp.3-2-114)
- Gotting EK, et al. Communication between parents and neonatal healthcare professionals using pictorial support when language barriers exist - parents' experiences. Int J Qual Stud Health Well-being. 2022 Dec;17(1):2122151.
[doi: 10.1080/17482631.2022.2122151](https://doi.org/10.1080/17482631.2022.2122151)
- Guillaume S, et al. Parents' expectations of staff in the early bonding process with their premature babies in the intensive care setting: a qualitative multicenter study with 60 parents. BMC Pediatr. 2013 Feb 1;13:18.
[doi: 10.1186/1471-2431-13-18](https://doi.org/10.1186/1471-2431-13-18)
- Hadian Shirazi Z, et al. The obstacles against nurse-family communication in family-centered care in neonatal intensive care unit: a qualitative study. J Caring Sci. 2015 Sep 1;4(3):207-16.
[doi: 10.15171/jcs.2015.021](https://doi.org/10.15171/jcs.2015.021)
- Kynoe NM, et al. When a common language is missing: Nurse-mother communication in the NICU. A qualitative study. J Clin Nurs. 2020 Jul;29(13-14):2221-2230.
[doi: 10.1111/jocn.15212](https://doi.org/10.1111/jocn.15212)
- Lasiuk GC, et al. Unexpected: an interpretive description of parental traumas' associated with preterm birth. BMC Pregnancy Childbirth. 2013;13 Suppl 1(Suppl 1):S13.
[doi: 10.1186/1471-2393-13-S1-S13](https://doi.org/10.1186/1471-2393-13-S1-S13)
- Makoul G. Essential elements of communication in medical encounters: the Kalamazoo consensus statement. Acad Med. 2001 Apr;76(4):390-3.
[doi: 10.1097/00001888-200104000-00021](https://doi.org/10.1097/00001888-200104000-00021)
- Meppelink CS, et al. Should we be afraid of simple messages? The effects of text difficulty and illustrations in people with low or high health literacy. Health Commun. 2015;30(12):1181-9.
[doi: 10.1080/10410236.2015.1037425](https://doi.org/10.1080/10410236.2015.1037425)
- Penticuff JH, Arheart KL. Effectiveness of an intervention to improve parent-professional collaboration in neonatal intensive care. J Perinat Neonatal Nurs. 2005 Apr-Jun;19(2):187-202.
[doi: 10.1097/00005237-200504000-00016](https://doi.org/10.1097/00005237-200504000-00016)
- Tucker Edmonds B, et al. Obstetric decision-making and counseling at the limits of viability. Am J Obstet Gynecol. 2012 Mar;206(3):248.e1-5.
[doi: 10.1016/j.ajog.2011.11.011](https://doi.org/10.1016/j.ajog.2011.11.011)
- Weiss S, et al. Improving parent satisfaction: an intervention to increase neonatal parent-provider communication. J Perinatol. 2010 Jun;30(6):425-30.
[doi: 10.1038/jp.2009.163](https://doi.org/10.1038/jp.2009.163)
- Wreesmann WW, et al. The functions of adequate communication in the neonatal care unit: A systematic review and meta-synthesis of qualitative research. Patient Educ Couns. 2021 Jul;104(7):1505-1517.
[doi: 10.1016/j.pec.2020.11.029](https://doi.org/10.1016/j.pec.2020.11.029)